

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	4317	(365/230.01,230.03).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 19:19
S6	654	(((365/230.01,230.03).CCLS.) and @ad <"20010430") and ((add\$3 increment\$3) with address)) and column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 19:20
S5	917	(((365/230.01,230.03).CCLS.) and @ad <"20010430") and ((add\$3 increment\$3) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 19:20
S4	4064	((365/230.01,230.03).CCLS.) and @ad <"20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 19:20
S1	305	(((711/201,202,212,219).CCLS.) and column) and @ad <"20010430") and (add\$3 increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/20 19:20
S7	1440	(711/201,202,212,219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/16 08:53
S8	111	(((711/201,202,212,219).CCLS.) and column) and @ad <"20010430") and ((add\$3 increment\$3) with address)) and multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 08:54
S9	367	(((711/201,202,212,219).CCLS.) and column) and @ad <"20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 09:00
S10	84	((((711/201,202,212,219).CCLS.) and column) and @ad <"20010430") and ((add\$3 increment\$3) with address)) and multiplex\$3) and (parallel simultaneous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 09:07

S11	350	(((((365/230.01,230.03).CCLS.) and @ad < "20010430") and ((add\$3 increment\$3) with address)) and column) and multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/16 09:11
S12	621	(712/210,205).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 16:39
S13	65	((712/210,205).CCLS.) and @ad < "20010430") and (instruction with (three near2 bytes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:44
S14	57	((712/210,205).CCLS.) and @ad < "20010430") and (instruction with (three near2 bytes)) and (instruction with (two near2 bytes)) and (instruction with ((one "1" single) near2 byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:46
S19	2	((712/210,205).CCLS.) and @ad < "20010430") and ((instruction near3 (three near bytes)) same fetch) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:55
S18	0	((712/210,205).CCLS.) and @ad < "20010430") and ((instruction near3 (three near bytes)) with fetch) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:55
S17	0	((712/210,205).CCLS.) and @ad < "20010430") and ((instruction with (three near bytes)) with fetch) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:55
S15	42	((712/210,205).CCLS.) and @ad < "20010430") and (instruction with (three near bytes)) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:56

S20	33	((((712/210,205).CCLS.) and @ad < "20010430") and (instruction with (three near bytes)) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte)) and (instruction with fetch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 16:57
S16	0	((((712/210,205).CCLS.) and @ad < "20010430") and ((instruction with (three near bytes)) with ((single one) near2 fetch)) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:26
S21	3	((instruction with (three near bytes)) with ((single one) near2 fetch)) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:27
S22	5	((instruction with (three near bytes)) with (fetch)) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:28
S23	512	((711/201,202,212,219).CCLS.) and column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:33
S24	589	((712/210,205).CCLS.) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:34
S2	212	(((((711/201,202,212,219).CCLS.) and column) and @ad < "20010430") and ((add\$3 increment\$3) with address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:34
S27	33	((((712/210,205).CCLS.) and (instruction near ((three "3") near bytes))) and @ad < "20010430")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:38
S25	35	((712/210,205).CCLS.) and (instruction near ((three "3") near bytes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:38

S28	8	((711/201,202,212,219).CCLS.) and column) and (instruction near ((three "3") near bytes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:49
S29	2	"ep 1050818"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 18:30
S31	289	((rom prom) with instruction) same column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 18:35
S30	20	((rom prom) with instruction) with fetch with ((single one) near4 cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 18:35
S33	21	((rom prom) with instruction) same column) and ((three near byte) with instruction)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 18:36
S32	21	((rom prom) with instruction) same column) and ((three near byte) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 18:44
S34	8	((rom prom) with instruction) same column) and (embedded with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 18:46
S35	8	((rom prom (one near time near program\$5)) with instruction) same column) and (embedded with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 19:35
S37	146	((712/37).CCLS.) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 19:36
S36	150	(712/37).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 19:36

S38	535	((712/210,205).CCLS.) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 19:45
S39	173	((712/210,205).CCLS.) and @ad < "20010430") and ((rom prom micro) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 19:48
S40	36	((712/210,205).CCLS.) and @ad < "20010430") and ((rom prom micro) with instruction)) and ((single one "1") with cycle with fetch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 13:59
S41	10	((712/210,205).CCLS.) and @ad < "20010430") and ((rom prom micro) with instruction)) and (((24" adj bit) ((three "3") near bytes)) near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:30
S43	121	((@ad < "20010430") and ((rom prom micro) with instruction)) and (((24" adj bit) ((three "3") near bytes)) near3 bus)) and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:31
S42	180	((@ad < "20010430") and ((rom prom micro) with instruction)) and (((24" adj bit) ((three "3") near bytes)) near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:34
S44	77	((@ad < "20010430") and ((rom prom micro) with instruction)) and (((24" adj bit) ((three "3") near bytes)) near3 bus) with (data instruction)) and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 18:35
S45	44	((@ad < "20010430") and ((rom prom micro) with instruction)) and (((24" adj bit) ((three "3") near bytes)) near3 ((data instruction) adj bus)))and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:29
S46	225	((@ad < "20010430") and (((24" adj bit) ((three "3") near bytes)) near3 ((data instruction) adj bus)))and microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:30
S48	3	((@ad < "20010430") and (((24" adj bit) ((three "3") near bytes)) near ((data instruction) adj bus)))and microprocessor)) and (((three "3") near byte) near2 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:48

S49	13	((@ad < "20010430") and (((("24" adj bit) ((three "3") near bytes)) near3 ((data instruction) adj bus)))and microprocessor)) and (((three "3") near byte) near2 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:56
S50	13	((@ad < "20010430") and (((("24" adj bit) ((three "3") near bytes)) near3 ((data instruction) adj bus)))and microprocessor)) and (((three "3") near byte) (US-5442769-A.DID. adj bit)) near2 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:57
S51	6	(@ad < "20010430") and (("24" adj bit) adj microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:03
S47	152	((@ad < "20010430") and (((("24" adj bit) ((three "3") near bytes)) near ((data instruction) adj bus)))and microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:03
S54	0	("US20040049652A1").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 16:25
S56	2	("6643760").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 16:26
S55	1	US20040049652A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:26
S57	6	"6314504".pn. "6085280".pn. "5659695".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:35
S58	12	("4866603" "4987559" "5016226" "5093805" "5285421" "5295252" "5544351" "5610864" "5663922" "5754815" "5761714" "5761732").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/28 16:54

S60	857	S59 and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:10
S61	5	S60 and (((S54 S55 S56 variable) with byte) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:12
S62	18	S60 and (((S56 three) near byte) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:13
S59	1085	((instruction adj set) with (rom prom eeprom eeprom firmware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:04
S64	110	S63 and ((one near byte) with instruction) and ((two near byte) with instruction) and ((three near byte) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:10
S67	0	S64 and (((("32" near bits) with (wide column)) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:12
S66	0	S64 and (((("32" near bit) with (wide column)) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:12
S65	4	S64 and (((S57 four) byte) near (wide column)) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:12
S68	36	S64 and (((("32" near2 bit) (four byte)) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:13
S69	2	S64 and (((("32" near2 bit) (four near2 byte)) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:14

S63	46057	((instruction code) with (rom prom eeprom eeprom firmware)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:16
S71	4	S63 and (((four adj byte) ("32" adj bit)) with (column row) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:20
S70	395	S63 and (((four adj byte) ("32" bit)) with (column row) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:20
S74	54	S72 and (fetch with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:26
S73	55	S72 and fetch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:26
S72	65	((((712/210,205).CCLS.) and @ad < "20010430") and (instruction with (three near2 bytes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:27
S75	63	((((712/210,205).CCLS.) and @ad < "20010430") and (instruction with ((three "3") near2 bytes)) and (instruction with fetch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 14:28
S76	2	"5535417".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:24
S78	2	"5559990".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 15:31
S81	36	S80 and (((("32" near2 bit) (four byte)) with rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:20

S80	110	S79 and ((one near byte) with instruction) and ((two near byte) with instruction) and ((three near byte) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:20
S79	46133	((instruction code) with (rom prom eeprom eeprom firmware)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:20
S26	37217	((((712/210,205).CCLS.) and (instruction near ((three "3") near bytes))) and @ad "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 14:44
S83	2571	(((((three "3") near2 byte) ("24" near2 bit)) with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:18
S84	71	(instruction near ((two "2") near bytes)) and (((three "3") near2 byte) ("24" near2 bit)) with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:19
S86	32	(instruction near ((three "3") near byte)) and (((three "3") near2 byte) ("24" near2 bit)) with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:20
S82	32	(instruction near ((three "3") near bytes)) and (((three "3") near2 byte) ("24" near2 bit)) with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:20
S87	38	(instruction near ((two "2") near byte)) and (((three "3") near2 byte) ("24" near2 bit)) with data with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:21
S88	1	("5765212").URPN.	USPAT	OR	ON	2005/01/21 15:27
S89	6	("4086629" "4319324" "4378591" "4424561" "5550996" "5594888").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/21 15:28
S85	71	(instruction near ((two "2") near byte)) and (((three "3") near2 byte) ("24" near2 bit)) with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:33

S90	744	((("24" near bit) with (data adj bus)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:34
S91	63	((("24" near bit) adj (data adj bus)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:35
S92	63	((("24" adj bit) adj (data adj bus)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:36
S93	10	S92 and (instruction with fetch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:37
S94	30	S92 and (instruction with (fetch\$3 retriev\$3 read\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:38
S96	0	S95 and ((two three) with (byte near2 instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:39
S95	31	S92 and (instruction with (fetch\$3 retriev\$3 read\$3 load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:39
S97	407	((((711/201,202,212,219).CCLS.) and column) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 20:12
L1	411	((((711/201,202,212,219).CCLS.) and column) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:17
L2	4153	((365/230.01,230.03).CCLS.) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:18

L5	42	((712/210,205).CCLS.) and @ad < "20010430" and (instruction with (three near bytes)) and (instruction with (two near bytes)) and (instruction with ((one "1" single) near byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:19
L4	698	(712/210,205).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 13:19
L3	680	((((365/230.01,230.03).CCLS.) and @ad < "20010430" and ((add\$3 increment\$3) with address)) and column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:19
L6	38	(instruction near ((two "2") near byte)) and (((three "3") near2 byte) ("24" near2 bit)) with data with bus) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:20
L9	44	((@ad < "20010430") and ((rom prom micro) with instruction)) and (((("24" adj bit) ((three "3") near bytes)) near3 ((data instruction) adj bus)))and microprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:21
L8	31	L7 and (instruction with (fetch\$3 retriev\$3 read\$3 load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:21
L7	63	((("24" adj bit) adj (data adj bus)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:21
L11	110	L10 and ((one near byte) with instruction) and ((two near byte) with instruction) and ((three near byte) with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:22
L10	47039	((instruction code) with (rom prom eprom eeprom firmware)) and @ad < "20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:22